



LEGALITY NOTES

If your vehicle was manufactured on, or after, 1976 these exhaust headers **DO NOT** comply with California Air Resource Board regulations and are **NOT LEGAL** for sale or use on pollution controlled vehicles in the state of California. Any vehicles manufactured 1975 or older are not subject to California smog laws.

The installation of exhaust headers onto any vehicle must be performed in accordance with all governmental regulations that pertain to the particular vehicle receiving the headers. Please call your Doug Thorley Headers distributor if there are any questions regarding the legality of the installation.

THY-373Y-C

LONG TUBE TRI-Y HEADERS

1967-72 GM TRUCK / SUBURBAN
396-502 BIG BLOCK MOTOR SWAP

PARTS INCLUDED

Ref.	Part Number	Description	Qty
1)	00-901-02868	Driver Side Header Assembly	1
2)	00-901-02870	Passenger Side Header Assembly	1
3)	00-901-00122	Header Adapter/Reducer (3" to 2-1/2")	2
4)	07-31-48295	Header Flange Gasket Kit (set of 2)	1
5)	07-31-48320	3-Bolt Flange Gasket Kit, 3" (set of 2)	1
6)	01-22061608-21	Header Bolt, 3/8-16x1"	16
7)	01-10061610-27	Hex Head Bolt, 3/8-16x1-1/4"	6
8)	01-310616-27	Hex Nut, 3/8-16	6
9)	01-4006-27	Flat Washer, 3/8"	6

TOOLS REQUIRED

Ref.	Description	Ref.	Description
1)	3/8" Drive Ratchet and Extensions	5)	7/8" Box wrench or O2 Sensor Socket
2)	8mm, 10mm, 12mm, 14mm Sockets	6)	WD40 or Equivlant
3)	8mm, 10mm, 12mm, 14mm Wrenches		

WARRANTY NOTES

- 1) The utmost care is taken at Doug Thorley Headers ("DTH") to maintain the highest standards of quality. However, DTH cannot control the installation of the product. For this reason the warranty covers only the replacement of the components, it does not cover labor for the installation.
- 2) The use of any type of "header wrapping" immediately voids the warranty. Using any sort of wrapping material on the headers destroys the tubing's ability to dissipate heat, causing very rapid deterioration of the composition of the metal and the subsequent failure of the headers.
- 3) Any chrome plating applied to DTH header components is a high-nickel chrome finish applied to retard corrosion. This is a commercial quality "heat" chrome designed to protect the metal from the environment only. This finish is not "show chrome" and is not intended for the sake of appearance. This high-nickel chrome will turn colors and approach black as it cooks into the metal. The initial brilliance of the chrome finish is not covered under the warranty. Contamination of the surface by foreign substances may produce other color patterns. This can be prevented by routine cleaning.
- 4) Retain all paperwork pertaining to the purchase of your DTH product. Save your receipt!
Your limited warranty is not valid without a receipt of purchase.

THY-373Y-C

LONG TUBE TRI-Y HEADERS

**1967-72 GM TRUCK / SUBURBAN
396-502 BIG BLOCK MOTOR SWAP**

INSTALLATION NOTES

- 1) It is important that you read the entire instruction sheet before beginning any installation.
- 2) Due to restricted room in the engine compartment your headers may come close to certain body and chassis components, this is normal for an installation of this type. However, a careful inspection must be completed to ensure that the distances and placement are reasonable and logical, especially with regard to electrical, fuel, and brake components.
- 3) Because of car-to-car variations, DTH strongly recommends that these headers be installed by an experienced installation shop that has welding and fabrication capabilities.

SPECIAL NOTES, PLEASE READ CAREFULLY

Because of the nature of engine swaps, your engine position will greatly affect the way these headers fit and because of this, minor modifications/fabrication may be necessary to the header, vehicle or both.

This header requires that you use the following:

45 degree spark plug wires

Shifter linkage may need to be altered, depending on your specific configuration.

Please call our technical department if you require further assistance: (951) 739-5900

INSTALLATION PROCEDURE

- 1) Using the supplied Header Gaskets and 3/8-16x1" Header Bolts, loosely mount your headers to your motor.
NOTE: The oil dip stick must be installed at the same time as the headers.
- 2) Place the supplied Adapter Gaskets against the header outlets.
- 3) Using the remaining supplied hardware, loosely mount the Reducer/Adapters to the header outlets.
- 4) Check clearances around the headers to all nearby components.
- 5) Torque header bolts to 20-25 ft. lbs.
- 6) From here you will need to fabricate your chosen exhaust system up to the adapter outlets.



LIMITED LIFETIME WARRANTY

Unless otherwise specified, Doug Thorley Headers (hereinafter DTH) header products are warranted against defective materials and workmanship for as long as you, the original consumer purchaser, owns said header product. DTH exhaust products, defined as any component "downstream" of a DTH header product or OE factory exhaust manifolds, are warranted against defective materials and workmanship for a period of 5 years from the original consumer purchase date. These limited warranties are non-transferrable and proof of purchase is required for any warranty claims.

These warranties shall be limited to the repair, adjustment, and/or replacement of defective parts at the discretion of DTH. Authorized product(s) returned will be repaired or replaced also at the discretion of DTH. All warranties become void if any product shows evidence of any modification done without the express consent of DTH, and includes mishandling, bending, welding, mutilation of parts, and insulating wrap products. DTH is not responsible for any other expenses involved in a warranty claim, including any labor costs incurred by the customer in relation to defective parts, or shipping costs to DTH. Nor shall DTH be responsible for any damages, whether consequential, special, contingent or otherwise; or expenses or injury that may arise from the use of DTH products.

The bluing and discoloration of chrome exhaust products is considered normal, as is the dulling of ceramic coated products, and as such coatings are not covered under the terms of the warranty. Rust apparent during the extended life of products is also considered normal and excluded from the warranty. Any DTH product that has been discontinued from new sales for a period of 5 years or longer will no longer be eligible for replacement under terms of the warranty, the repair of any defective parts will be the only option. Any non-defective not-installed product may be returned for any reason within 30 calendar days of receipt, and will be subject to a 20% restocking/repackaging fee. If you believe that you have a defective product, contact the Doug Thorley Headers customer service department directly at (951) 739-5900 with any questions and/or to obtain authorization to return a product for processing. This warranty policy supersedes any other warranties offered by DTH. DTH reserves the right to modify the warranty policy at any time, and a detailed copy of sale terms, condition and warranty information is available upon request.